## **CONTACT PRECAUTIONS**

Families and Visitors:



Bed#

Please report to staff before entering


Clean hands before entering and when leaving room



A) hand foam/gel or B) soap and water

#### Staff:

KEEP
SIGN POSTED
UNTIL ROOM
CLEANED
HOUSEKEEPER will
remove sign after
Isolation Discharge
cleaning



Wear gown and gloves for any contact with the patient or environment.

#### Point-of-Care Risk Assessment

When there is a risk of splash or spray, wear face and eye protection.





## CONTACT PRECAUTIONS PLUS

Families and Visitors:



Bed #

Please report to staff before entering

Clean hands before entering and when leaving room






- A Wash hands with soap & water (preferred), or
- B Clean hands with alcohol hand rub and wash

Staff:

KEEP
SIGN POSTED
UNTIL ROOM
CLEANED
HOUSEKEEPER will
remove sign after
Isolation Discharge
cleaning



Wear gown and gloves for any contact with the patient or environment.

Point-of-Care Risk Assessment

When there is a risk of splash or spray, wear face and eye protection.





PICNET
PROVINCIAL INFECTION CONTROL
NETWORK OF BRITISH COLUMBIA
A program of the Provincial Health Services Authority

# ENHANCED CONTACT PRECAUTIONS


Families and Visitors:



Bed #

Please report to staff before entering

Clean hands before entering and when leaving room



Clean hands with

A) hand foam/gel, or B) soap and water

Put on **gown and gloves** before entering room, and remove them

before leaving room.





#### Point-of-Care Risk Assessment

 When there is a risk of splash or spray, wear face and eye protection.

#### **Equipment**

- Use dedicated equipment.
- Equipment that cannot be dedicated must be cleaned and disinfected before removing from room.

SIGN POSTED UNTIL ROOM CLEANED

HOUSEKEEPER will remove sign after Isolation Discharge cleaning



### **DROPLET PRECAUTIONS**

Families and Visitors:



Bed #

Please report to staff before entering

Clean hands before entering and when leaving room



Clean hands with

A) hand foam/gel or B) soap and water

Wear mask and eye protection when within 2 metres of patient

If helping to care for the patient, put on gown and gloves before entering room, and remove them before leaving room.



#### **Staff - Required:**



- Point of Care Risk Assessment
- Gown and gloves
- Procedure mask with eye protection when within 2 metres of patient
- Keep 2 metres between patients

KEEP
SIGN POSTED
UNTIL ROOM
CLEANED

HOUSEKEEPER will remove sign after Isolation Discharge cleaning



### **AIRBORNE PRECAUTIONS**

**Private room Negative pressure** 

Keep door closed

Families and visitors:



Please report to staff before entering

Clean hands before entering and when leaving room



### **Staff:**

KEEP
SIGN POSTED
UNTIL ROOM
CLEANED
HOUSEKEEPER will
remove sign after
Isolation Discharge
cleaning



### **Required:**

- N95 Respirator
- Point-of-Care Risk Assessment:

When there is a risk of splash or spray, wear face and eye protection.



**Contact Infection Prevention & Control - Before Discontinuing Airborne Precautions** 




## AEROSOL GENERATING PROCEDURE IN PROGRESS

#### In addition to Droplet Precautions:



Put on N95 respirator before entering patient room or bed space



Keep door closed or pull curtains around bed space until 1 hour after procedure complete

Date and time of procedure	
AGP signage can be removed at: (Time at end of procedure + 1 hour post)	
Unit staff initials	

Isolation Discharge Clean must be completed before admitting another patient into that bed space.





# Families and visitors: please report to staff before entering

#### To protect the patient:



Persons with colds, flu, cough, sore throat, draining lesions, cold sores, or any other infection **must not enter this room**.





Clean hands before and after visit

- Alcohol-based hand rub (sanitizer), or
- Soap and water



No flowers or plants (fresh, potted, or dried)



No pets



Door may remain open.

